



IPY-D256S

6 MP Built-in Mic Dome Network Camera



■ Features

- 1/2.8" Sony IMX335 CMOS sensor
- 6MP HD resolution 3072 x 2048 output
- Ultra low illumination 0.01Lux
- Day/Night, AWB, 2D/3D-DNR, IR-CUT, WDR/HDR
- Multiply Style OSD Overlay, Motion Detection, Privacy Mask
- RTSP and Onvif 17.06 compatible with many third-party NVR
- H.264/H.265 dual-stream RTSP media server
- Easy-to-use P2P Cloud service
- Alarm snapshot to FTP and Email
- Storage to NAS via NFS protocol
- Youtube Live via RTMP Protocol
- Support user authentication, video data encryption, HTTPS security access
- Multiply WEB browser compatible, PC Client, Mobile APP remote access
- RJ45 100mbps network port, IEEE802.3af PoE
- Lightning protection 4000V
- Strong vandal-proof water-proof housing, IP66
- 18pcs SMD IR Led, IR distance 20-30 meters
- Wide-angle 2.8/3.6 mm fixed lens / Motorized 2.8-12 mm AF lens
- Built-in Mic





■ Specification

Camera

Image Sensor	1/2.8" SonyCMOS
Effective Pixels	3072(H)×2048 (V)
Electronic Shutter	AUTO, 1/25s ~ 1/100000s
Min. Illumination	0.01Lux@F1.2(AGC ON), 0Lux IR on
Day/Night	Auto/Color/(B/W)/Timing
WDR	Digital WDR
White Balance	Auto/Manual
AGC/BLC/HLC	Support
DNR	2D/3DDNR
Other	Multi-lines OSD, MotionDetection,Privacy Mask, Mirror

Encode

Video Standard	H.264/H.265
Video Resolution	Main Stream:25fps@6MP(3072x2048)/5MP(2592x1944), 30fps@4MP/3MP/1080P/720PSub stream: 30fps@D1/VGA/360P/CIF, etc.
Video Bitrates	64Kbps - 8Mbps, VBR/CBR
Audio Standard	G.711-u/G.711-a/AAC
Built-in Mic	Yes
Smart Event	Human DetectionVehicle DetectionMotion Detection

IR Led

IR Led	18pcs SMD IR Led
IR Distance	20-30 M

Lens

Focal length	2.8/3.6 mm fixed lens / Motorized 2.8-12 mm AF lens
--------------	---

Optional Function

POE, Audio, etc.

Network Services

Protocol	HTTP(S)/RTSP/RTMP/FTP/NFS/SMTP/DHCP/NTP, etc.
P2P	Yes
Web	IE , Firefox 32bit ESR, etc.
Media	CMS, Android, IOS
ONVIF	17.06 compatible

General

Network Port	1-RJ45, 100Mbps,POE optional
Power Supply	12 VDC ± 10%
Power Consumption	<5 W
Operating Temp.	-30°C-(+60)°C, 10%-90%RH






IPY-D256S

6 MP Built-in Mic Fixed Dome Network Camera

■ Available Model

IPY-D256S (2.8/3.6mm) IPY-D25604S (2.8-12mm)

■ Dimension



■ Accessory

■ Optional

JZ-03



JB-07



Uin Technology Co., Ltd.

+86-871 63586112

www.uin-tech.com

4F,Block 7 Lijincheng High Tech Garden,Longhua District,Shenzhen China

