




# HDY-B912VUF3S

2 MP 4-IN-1 Coaxial ColorVu Fixed Turret Camera



## ■ Features

- 4-in-1 HDCVI / HDTV/ AHD / CVBS optional output
- Full HD resolution 1920 x 1080P
- Ultra low illumination 0.01Lux
- Up to 300M long distance and high speed real time monitoring
- OSD menu control up the coaxial cable (UTC)
- Day/Night (ICR), AWB, AGC, DNR, D-WDR, Flip
- Lightning protection
- Strong water-proof housing, IP66
- 2 pcs Array White Led, distance 20-30 meters
- 3.6 mm fixed lens





## HDY-B912VUF3S

2 MP 4-IN-1 Coaxial ColorVu Fixed Turret Camera

### ■ Specification

#### Camera

|                    |   |
|--------------------|---|
| Image Sensor       | 1/2.9" 2 Mega pixels CMOS                                     |
| Chipset            | GC2053+TP3822   |
| Effective Pixels   | 1920(H)×1080(V)   |
| Video Resolution   | 1080P@25/30fps  |
| Electronic Shutter | AUTO, 1/25 -1/10,000s   |
| Min. Illumination  | 0.01Lux@F1.2(AGC ON), 0Lux IR on                              |
| Video System       | PAL/NTSC  |
| Video Output       | 1 channel, HDCVI / HDTV/ AHD/ CVBS, adjustable                |
| Video Switch       | DIP switch  |
| Mic                | Yes (TVI Mode available)                                      |
| Day/Night          | Auto/Color/(B/W)/EXT  |
| WDR                | Digital WDR   |
| White Balance      | ATW/Manual  |
| AGC/BLC            | Support   |
| DNR                | 2D NR   |
| OSD Menu           | Multiplelanguages OSD menu control up the coaxial cable (UTC) |

#### IR Led

|             |                 |
|-------------|-----------------|
| IR Led      | 2 pcs white Led |
| IR Distance | 20-30M          |

#### Lens

|              |                       |
|--------------|-----------------------|
| Focal length | 3.6mm F1.6 fixed lens |
|--------------|-----------------------|

#### General

|                   |                          |
|-------------------|--------------------------|
| Power Supply      | 12 VDC ± 10%             |
| Power Consumption | <5 W                     |
| Operating Temp.   | -20°C-(+60)°C, 10%-90%RH |






## HDY-B912VUF3S

2 MP 4-IN-1 Coaxial ColorVu Fixed Turret Camera

### ■ Available Model

HDY-B912VUF3S    HDY-B915VUF3S    HDY-B918VUF3S

### ■ Dimension



### ■ Accessory

### ■ Optional



**Uin Technology Co., Ltd.**

+86-871 63586112

[www.uin-tech.com](http://www.uin-tech.com)

4F,Block 7 Lijincheng High Tech Garden,Longhua District,Shenzhen China

