



WFL-Z62510DS2

5MP WIFI/4G PTZ 10X Optical ZOOM Human & Vehicle Detection
Built in Mic Card Slot HD GSM Camera



■ Features

- 5.0 megapixel HD IP camera, maximum resolution 2560x1920;
- Support humanoid detection, more accurate alarms and mobile phone information push;
- Support WIFI, support AP mode;
- Support up to 128G TF card storage;
- 4.9-47mm 10X optical zoom auto focus lens;
- Built-in MIC, support voice monitor;
- Pan tilt rotation, horizontal:355 ° &vertical:90 °
- Waterproof level IP66;
- 4pcs array infrared LEDs, night vision distance 60m;
- Support P2P, view & anywhere & anytime;
- Elegant outline and easy installation;
- Provide android & ios APP and professional CMS PC client software





WFL-Z62510DS2

5MP WIFI/4G PTZ 10X Optical ZOOM Human & Vehicle
Detection Built in Mic Card Slot HD GSM Camera

■ Specification

Video	Sensor	5.0 megapixel 1/2.8" SONY335 low lux CMOS
	Video resolution	Main stream: 2560x1920@15fps, 2560x1440@15fps Sub stream: 800x600/800x448@25fps, 640x480/640x352@25fps
	Video compression	H.264 / H.265
	Lens	4.9-47mm 10X optical zoom auto focus lens
	View angle	60°~8°
	Night vision	4pcs array infrared LEDs, night vision distance 60m
Audio	Audio compression	G.726/G.711
	Audio code rate	8Kbps, 16bit
	Audio input	Built-in MIC, support voice monitor
Alarm	Motion detecting alarm	Can set 4 independent detection region (1-100 sensitivity can be set)
	Humanoid detection	Support, can jointly trigger alarm with motion detection, alarm is more accurate
	Alarm linkage	Alarm send pictures to the mailbox, Alarm upload pictures and videos to the FTP server, Alarm record pictures and videos to Micro SD card, Alarm mobile phone message push
	Alarm recording	Support Micro SD card and PC client linkage alarm recording
Network	Wireless	IEEE 802.11 b/g/n
	Ethernet	RJ45 Ethernet
	Onvif protocol	Support ONVIF 2.4(backward compatible)
Storage	Micro SD card	Support up to 128G micro SD card
	Recording mode	Alarm record, timing record,
	Video playback	Support APP, IE browser, remote client play and download the video
PTZ	Rotation angle	Horizon: 0 ~ 300 ° , Vertical: 0 ~ 60 °
	Horizontal speed	12 ° /S
	Vertical speed	12 ° /S
	Preset	Support 8 preset points
General specification	Power	DC12V 2A
	Operating environment	Environment -20℃~+60℃ (-4°F~+140°F), Humidity 10% ~ 90%, non-condensing
	Shell material	All metal shell
	Waterproof level	IP66
	Product size	150mm×90mm×125mm(L×W×H)
	Product weight	1.0kg
	Package size	225mm×205mm×120mm(L×W×H)
	Package weight	1.3kg
	Reset button	Support

* Product specifications may change without prior notice.





WFL-Z62510DS2

5MP WIFI/4G PTZ 10X Optical ZOOM Human & Vehicle Detection Built in Mic Card Slot HD GSM Camera

■ Available Model

WFL-Z62505DS2 WFL-Z62510DS2

■ Dimension



■ Accessory

■ Optional



Uin Technology Co., Ltd.

+86-871 63586112

www.uin-tech.com

4F,Block 7 Lijincheng High Tech Garden,Longhua District,Shenzhen China

